

b r a c i n 70 85 c k

What brain**ck has been used for: Self interpreters!

>>>+[-]>>[-]+>+>++++++[<++++>>++<-
]+>>+>+>+++++[>+++++<<-]+>>>,<++[[>[-
>>]<[>>]<<-]<[<]<+>>[>]>[<+>-[[<+>-]>]<[[[-]<]+<-
[<++++++>[<->-]>>]]<<
]<[[<]>[[>]]>>[>>]+[<<]<[<]<+>>-]>[>]+[-
>>]<<<<[<<]<[<]+<<[+>+<<-]>>+<<->+<<->+<[>>+<<-
]]]>[<+>-]<]+>>--
>[>]>>[>>]<<[>>+<[<]<]>[[<<]<[<]+[-<+>>-
[<<+>++>- [<->[<<+>>-]]]<[>+<-
>]>[>]>>[>>]>>]<<[>>+>>+>>]<<[-
>>>>>>>]<<[>.>>>>>>]<<[>-
>>>>>]<<[>,>>>]<<[>+>]<<[+<<]<

[Daniel B Cristofani (cristofdathevanetdotcom)
<http://www.hevanet.com/cristofd/brainfuck/>



Creator:

Urban Muller

Hello world!

```
>++++++[<+++++>-]<.>>++++[<+++>-]  
]<+.+++++.++.>>>++++[<+++>-]  
<.>>>++++[<+++++>-]<---.<<<<.++.-  
----- >>
```

This course examines basic concepts underlying the design of modern programming languages: types, control structures, abstraction mechanisms, inheritance, and constructs for programming. This course will include programming assignments in several languages

Original Distribution

Short: 240 byte compiler. Fun, with src. OS 2.0
Uploader: umuelier amiga physik unizh ch
Type: dev/lang
Architecture: m68k-amigaos

The brainfuck compiler knows the following instructions:

Cmd	Effect
---	-----
+	Increases element under pointer
-	Decreases element under pointer
>	Increases pointer
<	Decreases pointer
[Starts loop, flag under pointer
]	Indicates end of loop
.	Outputs ASCII code under pointer
,	Reads char and stores ASCII under ptr

Who can program anything useful with it? ;)

Other uses:

Created by:
Brandon Tinkham
William McCrone

